


PYKL-IFPD-HW

SPECIFICATION SHEET
WWW.CONEN-SYSTEMS.COM**FREESTANDING COUNTERWEIGHT PYLON-SYSTEM FOR MONITORS FROM 65-86"**
MANUALLY HEIGHT ADJUSTABLE WITH 2 WHITEBOARD WINGSPRODUCT

This free-standing, manually height-adjustable counterweight system for monitors is compatible with all touchscreen displays available on the market, from 65" to 86" screens.

The display bracket slides between the two pylons so that the height of the display can be adjusted manually. It is held in its place due to the counterweights on the back of the system. This ensures that every user can work and present at the ergonomically best height.

The two whiteboard wings enable digital and analog working with this system. Both sides of the 2 whiteboard wings can be written on with whiteboard markers, they are dry wipeable and magnetic.

Accessories

Keyboard shelf



Soundbar bracket



Video conference camera top shelf LITE series for displays from 65 - 86 inch

FEATURES

- Please indicate the model of the display when placing your order
- free-standing, manually height-adjustable system
- stable H-frame with adjustable feet
- Pylon length 1900 mm
- Height adjustment with counterweights, height adjustment path 800 mm stroke
- 2 whiteboard wings, magnetic, to be written on with whiteboard markers and can be wiped dry
- All connections on the display are freely accessible



Display mount



Free-standing



Manual height adjustable




Single display

Max. load
96 kg / 211.6 lbsMax. Vesa
800 x 600

Item number	PYKL-IFPD-HW	
Vesa horizontal / Vesa vertical	300 mm - 800 mm / 200 mm - 600 mm	
Frame for all	65" - 86"	
Center to floor distance	815 mm - 1615 mm	32.1" - 63.6"
Load capacity	96 kg	211.6 lbs
Width / Height / Depth	1245 mm / 1965 mm / 770 mm	49" / 77.4" / 30.3"
Frame color	RAL 9005 deep black	
Column color	Silver anodized	
Base color	RAL 9005 deep black	

Dimensions



Conen Systems GmbH
 Conenstr. 4
 54497 Morbach-Gonzerath
 Germany

T +49 5251 50012-0
 E sales@conen-systems.com
www.conen-systems.com

© Copyright by Conen Systems GmbH